

Serial No. 10/058,924
Docket No. FJ-2001-041-US
(MAS.012)

14

AMENDMENTS TO THE ABSTRACT:

Please replace the Abstract with the following amended Abstract:

An input apparatus reads a patient ID from an ID card and transmits it to a computer. On the basis of the patient ID, the computer obtains corresponding patient information containing a photograph of the patient's face and the patient's name, from a medical database, and then transmits the patient information to the digital camera together with the patient ID. The digital camera displays the patient information on the liquid crystal monitor to enable confirmation of the patient, ~~who is a subject~~ to be photographed. After the patient has been confirmed, the patient ID is filled in a header part of an image file for the image photographed using the digital camera, and the image file is transmitted to the medical database or the like. Thus, ~~when identification information on the subject is recorded in connection with the photographed image, the input of the identification information is simplified, and the correspondence between the subject identification information input before photographing and the subject to be photographed can be easily confirmed. Further, the digital camera obtains locational information from a car navigation apparatus. The locational information is classified into added to image information added to the subject image (GPS information indicative of latitude, longitude, and altitude) and display information associated with the added to image information (the place name corresponding to the GPS information). The digital camera stores the location information obtained in a non-volatile memory and displays the display information (place name) of the locational information on the liquid crystal monitor of the camera. Subsequently, after photographing has been completed, the added to image information (GPS information) of the locational information stored in the non-volatile~~

Serial No. 10/058,924
Docket No. FJ-2001-041-US
(MAS.012)

15

~~memory in connection with the image. Thus, if additional information input from an external device is recorded in connection with the subject image, the camera can be used to easily check what added to image information is used, whether or not the added to image information is correct as information to be added to the subject image, and the like.~~

[marked corrected version]

[attach 2nd page - clean correct version]

BEST AVAILABLE COPY

Serial No. 10/058,924
Docket No. FJ-2001-041-US
(MAS.012)

16

ABSTRACT OF THE DISCLOSURE

An input apparatus reads a patient ID from an ID card and transmits it to a computer. On the basis of the patient ID, the computer obtains corresponding patient information containing a photograph of the patient's face and the patient's name, from a medical database, and then transmits the patient information to the digital camera together with the patient ID. The digital camera displays the patient information to enable confirmation of the patient to be photographed. After the patient has been confirmed, the patient ID is filled in a header part of an image file for the image photographed using the digital camera, and the image file is transmitted to the medical database or the like. Thus, the input of the identification information is simplified, and the correspondence between the subject identification information input before photographing and the subject to be photographed can be easily confirmed.